



## PRODUCT NUMBER: 1010925 Viking V1 Multiple-Position Earmuff

Learn more about our products at howardleight.com

Learn more about hearing conservation at hearforever.org >

>



Overview
Reference Number 1010925
Product Type Hearing Protection
Range Earmuffs
Line Noise Blocking Earmuffs
Brand Howard Leight by Honeywell
Brand formerly known as BILSOM
Industry
<ul> <li>Industry Administration Agriculture Army - Defence ATEX environment</li> <li>Automotive and Part Manufacturer Aviation</li> <li>Chemical Industries Energy or Electricity</li> <li>Foundry Glass Industries Green Spaces</li> <li>Iron and steel industry</li> <li>Laboratory</li> <li>Laboratory</li> <li>Offshore</li> <li>Paper Industries</li> <li>Petro-chemical</li> </ul>

Printing Industries
 Services
 Ship Building
 Telecoms
 Textile Industries
 Transportation

Utilities
 Water treatment
 Welding
 Wood Industries

## Product Use

Noise Blocking Earmuff

## Features & Benefits

#### Feature

Multiple-position headband allows wearer to select position over-the-head, behind-the-head or under-the-chin. Now features Bilsom's patented Air Flow Control<sup>™</sup> technology, delivering optimal attenuation across all frequencies, without increasing earcup size or weight. Alternative to cap-mounted earmuffs - wear with hard hats, face shields, respirators

## Viking V1 Multiple-Position Earmuff - 1010925

and other PPE. Non-deforming outer headband withstands rough treatment in the toughest workplaces. Snap-in ear cushions make replacement quick and easy. Includes headband strap for better positioning when worn behind-the-head or under-the-chin. Dielectric construction suitable for all workplaces, especially electrical environments.

## Benefit

The Viking<sup>™</sup> series multiple-position earmuff gives workers flexibility to wear their earmuffs over-the-head, behindthe-head and under-the-chin. Viking earmuffs can be worn with other PPE, including hard hats, visors, face shields, respirators and welding shields. Plus, Viking's robust non-deforming dielectric construction withstands use and abuse, while protecting your workers in electrical environments. NOW FEATURING AIR FLOW CONTROL<sup>™</sup> TECHNOLOGY

## **Technical Description**

#### SNR (dB)

30 **H (dB)** 

32

M (dB)

28 L (dB)

## 21

#### Attenuation Data

Frequency (Hz) Frequenz (Hz) Fréquence (Hz)631252505001000200040008000Mean Attenuation (dB) Mittlere Dämmung (dB) Atténuation moyenne (dB)17.914.120.625.832.032.133.734.4Standard Deviation (dB) Standardabweichung (dB) Déviation standard (dB)2.42.33.12.52.82.53.12.5Assumed Protection (dB) Angenommener (dB) Protection supposée (dB)15.511.817.523.329.229.630.631.9

## Earmuff Construction

Plastic [or Dielectric]

## **Other Material**

PP webbing, POM, LDPE, PA, EPDM, ABS, PUR-E, PP, PVC

Dielectric Yes

Color Black and Light Blue

#### Batteries Needed None

NONE

#### Weight (grs) 191

Headband Style

Multiple-Position
Sound Amplification

No

AM/FM Radio

Automatic Shut-Off Function

Audio Input Jack

110

Hi-Visibility No

## Certifications

E.C. Declaration of Conformity

EC Category PPE 2 Quality Assurance ISO 9001 / 2000 EC Certificate Number 1486

# EC Attestation Number 060353

CE Certificate - Viking V1s

http://www.honeywellsafety.com/supplementary/documents\_and\_downloads/secured/hearing\_protection /earmuffs/43788/1033.aspx

## Maintenance

#### Life Cycle

Cushions should be replaced periodically to retain maximum attenuation. Use the following as a guideline for replacement of ear cushions and insert foam. General use and wear - Ear cushions and foam inserts should be replaced at least every 6 months. Heavy use or wear in humid/extreme climates - Ear cushions and foam inserts should be replaced at least least every 3 months. Cracking or leakage is visible - replace ear cushions and foam inserts immediately.

#### Storage Information

When not in use, the earmuffs should be stored in a clean dry container or locker. Do not use solvents or petroleum-based products. Do not immerse the earmuffs in water.

#### **Care Instructions**

Earmuffs are an important safety product and should be inspected regularly. Its use, care and maintenance are critical to its effective performance. Earmuffs and in particular ear cushions may deteriorate with use and should be examined at frequent intervals for cracking and leakage. If the ear cushions become hard, damaged or deteriorated, they should be replaced promptly using recommended Hygiene Kits. Earmuffs should be maintained by regular cleaning. Use a mild disinfectant solution. A gentle wipe is all that is required.

## **Parts & Accessories**

#### Accessories

Hygiene Kit - Packed in a plastic bag, including two ear cushions and two foam pads. Ref. # 1006018 for V1 Beltclip - For carrying purpose. Old Ref. # 1000252 New Ref. # 1016730 Cool II Pads - Sweat absorbing pads. Ref. # 1000365 5-pair, Ref. # 1000364 100-pair

Optisorb - cotton sleeve slides over earcup. Ref. # 3302101

Polar Hood - Ref. # 1016870 Lg/XLg; Ref. # 1016871 Sm/Med

## Packaging

EAN Code 7312550109250

© Honeywell International Inc.